



X. WED 2 型号

At NEXX, we do not just engineer helmets, we tech emotions.

We believe in the heat of passion - parts of life getting new blood.

HELMETS FOR LIFE is our motto, beyond the protection, past excellence, that any motorcyclist regardless of age or style lives the moment they wear NEXX.

X.WED 2 型号

在NEXX，我们不仅设计头盔，我们还巧妙地表达情感。我们相信激情澎湃可以赋予生命新鲜的血液。“生命之头盔”是我们的座右铭，超强防护，成就卓越，所有摩托车骑手，无论年龄或风格，都会感受到被NEXX产品呵护的时光。

CONTENT

目录

03 | INSTRUCTION MANUAL

使用说明

04 | X.WED 2 DUAL SPORT

X.WED 2 两用

05 | VENTILATIONS

通风

06 | X.WED 2 CARBON VERSION

碳纤维版

07 | HOW TO PLACE SV DUST GUARD

如何放置SV防尘装置

08 | HOW TO PLACE "OFF ROAD" VENTILATION

如何放置“越野”通风装置

09 | HOW TO REMOVE THE PEAK

如何拆下帽檐

10 | HOW TO CLEAN THE VISOR

如何清洁遮阳板

11 | HOW TO REMOVE THE VISOR

如何卸下遮阳板

12 | HOW TO PLACE THE VISOR

如何放置遮阳板

13 | HOW TO USE THE INNER SUN VISOR

如何使用内遮阳板

14 | HOW TO REMOVE THE INNER SUN VISOR

如何卸下内侧遮阳板

15 | HOW TO PLACE THE INNER SUN VISOR

如何放置内遮阳板

16 | PINLOCK

防雾片

17 | HOW TO CHANGE HELMET TO STREET MODE

如何将头盔更改为街道模式

18 | ERGO PADDING

人体工程学填充

19 | LINING SPECIFICATIONS

内衬规格

20 | HOW TO REMOVE THE INNER LINING

如何卸下内衬

21 | HOW TO PLACE THE INNER LINING

如何放置内衬

22 | HOW TO REMOVE CHINSTRAP COVER

如何卸下下巴带罩

23 | HOW TO PLACE THE HYDRATATION TUBE

如何放置水管

24 | SIZE CHART

尺码表

25 | ACCESSORIES

附件

26 | HOW TO PLACE THE PEAK EXTENSOR

如何放置延展帽檐

27 | HOW TO PLACE THE TOP ACTION CAMERA SUPPORT

如何放置顶部运动相机支架

28 | HOW TO PLACE ACTION CAMERA SIDE SUPPORT

如何放置运动相机侧部支架

29 | HOW TO PLACE QUICK STRAP SUPPORT

如何放置快速皮带支架

30 | X-COM

33 | EMERGENCY SYSTEM

应急系统

34 | HELMET CARE

头盔护理

EN Please read this manual very carefully before wearing your helmet and keep it in a safe place.


For a correct use and for your safety, please pay attention to following instructions. The main function of the helmet is to protect your head in case of impact. This helmet is made to absorb some of the energy of a blow by partial destruction of its component parts and, even though damage may not be apparent, any helmet which has suffered an impact in an accident or received a similarly severe blow or other abuse should be replaced. To maintain the full efficiency of this helmet, there must be no alteration to the structure of the helmet or it's component parts.

CN 佩戴头盔前请仔细阅读本说明，并将其放在安全的地方。


为了正确使用头盔，保证您的安全，请注意下述说明。头盔的主要功能是在受到撞击时保护头部。制造该头盔的目的是通过组件的部分损坏来吸收一些冲击能量。在此情况下，即使损坏可能不明显，也应更换在事故中受到冲撞、经历类似严重冲击或其他滥用行为的任何头盔。为了保持头盔的全部效能，不得改变头盔或其组件的结构。

X.WED 2
DUAL SPORT
X.WED2 型号
两用


ENDURO
耐久



OFF - ROAD
越野



STREET
街道



VENTILATIONS

通风




顶部通风




顶壳进气口


- 1_ 关闭
- 2_ 半开
- 3_ 打开



下巴进气口



打开




关闭


X.WED 2

碳纤维版


X-PRO
碳纤维壳



SV防尘罩*不包括在内




X-水管




可拆卸颌带罩

HOW TO PLACE SV DUST GUARD


如何放置SV防尘装置



打开遮阳板



手压放置SV防尘装置




小心地关闭遮阳板



SV防尘罩*不包括在内

HOW TO PLACE "OFF ROAD" VENTILATION

如何放置“越野”通风装置




拆下通风口盖







放置“越野”通风口盖

HOW TO REMOVE THE PEAK


如何拆下帽檐



按下顶部壳体固定器



移除按钮



HOW TO CLEAN THE VISOR

如何清洁遮阳板

To clear the visor without effecting its characteristics should be used only soapy water (preferably distilled) and a soft cloth. If the helmts is deeply dirty (ex.Insect remains) can add a little liquid from the dish to water. Remove the visor from the helmet before carrying a deeper cleaning. Never use objects to clean the helmet that may damage/scratch the visor. Always store the helmet in a dry place and protected from light, preferably in the bag provided by NEXX HELMETS.




EN

为了在不影响其特性的情况下清洁遮阳板，只可使用肥皂水（最好是蒸馏型）和软布。如果头盔很脏（例如，昆虫残留物），可从盘子中取出少量液体，并添加到水里。在进行更深度的清洁之前，从头盔上取下遮阳板。切勿使用可能损坏/划伤遮阳板的物体来清洁头盔。始终将头盔存放在干燥且避光的地方，最好放在NEXX头盔公司提供的袋子中


CN

HOW TO REMOVE THE VISOR


如何卸下遮阳板




拉动并松开



拉动并松开




拉动并松开




HOW TO PLACE THE VISOR


如何放置遮阳板




遮阳板销钉





机件孔



将遮阳板销钉与机件孔对齐




将遮阳板销钉与机件孔对齐





HOW TO USE THE INNER SUN VISOR


如何使用内遮阳板



关闭




打开




HOW TO REMOVE DE INNER SUN VISOR

如何卸下内侧遮阳板




拉开




拉开

HOW TO PLACE THE INNER SUN VISOR


如何放置内遮阳板



- 拿下机件
- 放置并推动遮阳板



PINLOCK 防雾片



1 - Remove the helmet shield

2 - Bend the helmet shield and place the Pinlock® lens between the two pins provided in the helmet shield, fitting exactly into the dedicated recess.

3 - The silicon seal on the Pinlock® lens must make full contact with the helmet shield in order to avoid any condensation forming between the helmet shield and the Pinlock® lens.

EN

1 - 拆下头盔护罩


2 - 将头盔护罩弯折，并将Pinlock®镜头置于头盔护罩中两个销钉之间，精确安装在专用凹槽中。

3 - Pinlock®镜头上的硅密封必须与头盔护罩完全接触，以避免头盔护罩与Pinlock®镜头之间形成任何冷凝水汽。


CN

HOW TO CHANGE HELMET TO STREET MODE


如何将头盔更改为街道模式





1 移除帽檐后





2 放置遮阳板盖



3 放置扭转锁按钮



ERGO PADDING 人体工程学填充



The helmet size adjustment system using interior foams that allow a better filling according to the shape of the head;

头盔尺寸调整系统，使用内部泡沫，可根据头部形状进行更好的填充。

EN

CN

LINING SPECIFICATIONS

内衬规格

EN

The lining of the helmet has the following characteristics:

- Removable,
- Anti-allergy
- Anti-sweat

This lining can be removed and washable, as shown in the picture.

If for some reason this lining is damage it can be easily replaced.

CN

头盔内衬具有以下特性：

- 可移动；
- 抗过敏
- 防汗

如图所示，该内衬可拆除并可清洗。

如果由于某种原因导致内衬损坏，可以轻松更换。



滴干



请勿拧干



请勿通过翻滚方式弄干



请勿用熨斗熨









手洗









请勿漂白

HOW TO REMOVE THE INNER LINING 如何拆除内衬




HOW TO PLACE THE INNER LINING

如何放置内衬




HOW TO REMOVE CHINSTRAP COVER


如何卸下颌带罩




取下面颊垫



将手指放进孔内



拉动并松开





拆下颌带罩




仅针对碳纤维版本可用

HOW TO PLACE THE HIDRATATION TUBE

如何放置水管



拉动并松开






* 仅针对碳纤维版本可用

**不包括水管

SIZE CHART

尺码表



| 头盔尺寸 | | 头部尺寸 | |
|---|------|----------|----------------|
|  | XXS | 51/52 CM | 20,06 20,47 |
| | XS | 53/54 CM | 20,87 21,26 |
| | S | 55/56 CM | 21,27 22,05 |
|  | M | 57/58 CM | 22,06 22,83 |
| | L | 59/60 CM | 22,84 23,62 |
|  | XL | 61/62 CM | 23,63 24,41 |
| | XXL | 63/64 CM | 24,42 25,20 |
| | XXXL | 65/66 CM | 25,59 25,98 |

Wrap the flexible measuring tape around your head.


将卷尺环绕头部测量。

EN


CN

ACCESSORIES

附件



头盔袋




附件袋




人体工程学填充系统
*不包括在内



越野通风



延展帽檐



顶部运动
相机支架



x-com适配器架



SV防尘装置*不包括在内



街道模式盖件



侧部运动相机支架备件
*不可用于碳纤维版本



快速备件





螺钉备件






快速皮带支架
此附件可单独获取*不可用于碳纤维版本

HOW TO PLACE THE PEAK EXTENSOR


如何放置延展帽檐




放置帽檐盖



垫圈位置





拧紧固定器





HOW TO PLACE THE TOP ACTION CAMERA SUPPORT


如何放置顶部运动相机支架




拧下顶部帽檐固定器



将支架置于帽檐下方




拧紧顶部帽檐固定器




HOW TO PLACE ACTION CAMERA SIDE SUPPORT


如何放置运动相机侧部支架




拆下盖子




按下固定器



放置运动相机支架



拧紧固定器




* 此附件可单独获取


** 不可用于碳纤维版本

HOW TO PLACE QUICK STRAP SUPPORT


如何放置快速皮带支架




拆下盖子




按下固定器



放置 快速支架



拧紧固定器



* 此附件可单独获取
** 不可用于碳纤维版本





X-COM

The X.WED 2 model is by Default Equipped to Accommodate the NEXX Helmets X-COM Communications System.

默认情况下X.WED 2 型号的装配可以用来安装NEXX头盔X-COM 通信系统。


EN

CN





YOUTUBE - X.WED2
型号如何放置X.COM


X-COM




卸下X-COM盖





插入X-COM 边圈





插入X-COM控制器并连接到主件




EMERGENCY SYSTEM

应急系统

EN Emergency System to remove CheckPads in case of accident, will allow that the helmet can be removed minimizing the risk of increasing/creating an injury to the user;
USE THIS SYSTEM ONLY IN CASE OF AN EMERGENCY!

CN 发生事故时可通过应急系统移除面颊垫以卸下头盔，从而最大限度地降低/避免使用者受伤的风险；
仅在紧急情况下使用此系统！



HELMET CARE

头盔护理

Light colors with matte finish require extra care as they are naturally more exposed to dust, fumes, compounds or other types of impurities.

THIS IS NOT COVERED UNDER WARRANTY!

Neon colors will fade when subjected to prolonged UV rays exposure.

THIS IS NOT COVERED UNDER WARRANTY!

We are not liable for any damage, loss or detriment resulting from faulty assembly of any accessory.

EN

浅色哑光饰面需格外小心，因为它们自然地更容易接触灰尘、烟雾、化合物或其他类型的杂质。

此情形不在保修范围内！

霓虹色长时间在紫外线照射下会褪色。

此情形不在保修范围内！

我们不对因任何附件装配错误而造成的任何损坏、损失或损害负责。

CN



EN

Do not expose the helmet to any type of liquid solvent.

CN

请勿将头盔暴露在任何类型的液体溶剂中。



EN

The helmet should be handled with care. Leaving it drops can damage the painting as well as reduce their characteristics of protection.

THIS NOT COVERED UNDER WARRANTY!

CN

头盔应小心轻拿轻放，小心使用。如果留有水滴，则不仅会破坏涂料层，还会降低其保护特性。此情形不在保修范围内！



Keep the helmet in a safe place (not hang on the mirror of motorcycle or other support than can damage the lining). Do not carry your helmet on the biker or in the arm while driving.

EN

将头盔放在安全的地方（请勿挂在摩托车的镜子上或其它可能损坏内衬的支架上）。驾驶时请勿将头盔放在在骑行者身上或手臂上。

CN



Always use the helmet in the proper position, using the bruckle to adjust to the head;

EN

始终在正确的位置使用头盔，并使用锁扣装置调整头部；

CN



EN

In order to maintain trouble free operation of the visor, it is advisable to periodically lubricate the mechanisms and rubber parts around the visor with silicone oil.

The application may be made with a brush or with the help of a cotton swab.

Apply sparingly and remove the excess with a dry clean cloth. This proper care will maintain the softness of the rubber seal and will dramatically increase the durability of the visor fixing mechanism.

CN

为了保持遮阳板的正常使用，建议定期用硅油润滑遮阳板周围的机件和橡胶部件。

可使用刷子或棉签进行涂抹。

少量涂抹，并用洁净的干布去除多余部分。这种适当的护理将保持橡胶密封的柔软性，并将显著提高遮阳板固定机件的耐久性。

This high quality helmet is made with the most advanced European technology. The helmets are technologically advanced for the motorcycle rider's protections, which are made for motorcycle riding only. This helmet specifications is subject to change without notice.

- a) Buyers should be reminded to choose a qualified helmet that fits their head size
- b) Must be fastened when using
- c) If the helmet has had a major impact accident, it should be stopped or sent to the factory to determine whether it can continue to be used
- d) Pay attention to storage, do not scrub the helmet surface with corrosive solvents, and do not hit the helmet
- e) Period of use 5 years

本款高品质头盔产品采用最先进的欧洲技术制造。头盔技术先进，用于保护摩托车驾驶员，仅用于摩托车驾驶。本头盔产品规格如有变更，恕不另行通知。

- a) 应提醒买家选择适合其头型尺寸的合格的头盔
- b) 使用时必须系紧系带
- c) 如果头盔发生重大撞击事故，应将其停止使用或送到工厂确定是否可以继续使用
- d) 注意存放，请勿用腐蚀性溶剂擦拭头盔表面，也不要撞击头盔
- e) 使用期限

HEL METS FOR LIFE

nexxpro

fábrica de capacetes, S.A.

Zona industrial de Amoreira da Gândara, lote nº11
3780-024 Amoreira da Gândara,
Anadia - PORTUGAL
Tel +351 231 590 010 fax +351 231 596 861
nexx@nexxpro.com www.nexx-helmets.com



X nexx
helmet