

The logo for Xnèxx features a large, stylized 'X' on the left, followed by the lowercase letters 'nèxx' in a bold, sans-serif font. The 'n' has a unique shape with a horizontal bar, and the 'è' has a small accent mark above it.

**X.WST3**

At NEXX, we do not just engineer helmets, we tech emotions.

We believe in the heat of passion - parts of life getting new blood.

HELMETS FOR LIFE is our motto, beyond the protection, past excellence, that any motorcyclist regardless of age or style lives the moment they wear NEXX.

## CONTENT

## 目录

|           |                                                            |           |                                                               |
|-----------|------------------------------------------------------------|-----------|---------------------------------------------------------------|
| <b>04</b> | INSTRUCTION MANUAL<br>使用说明                                 | <b>18</b> | LINING SPECIFICATIONS<br>内衬规格                                 |
| <b>05</b> | PARTS DESCRIPTION<br>部件说明                                  | <b>19</b> | FRS - FAST RELEASE SYSTEM<br>快速释放系统                           |
| <b>06</b> | VENTILATIONS<br>通风孔                                        | <b>20</b> | FRS - FAST RELEASE SYSTEM                                     |
| <b>09</b> | HOW TO CLEAN THE VISOR<br>如何清洁遮阳板                          | <b>23</b> | HOW TO REMOVE THE INNER LINING<br>如何取下内衬                      |
| <b>10</b> | HOW TO REMOVE THE VISOR<br>如何取下遮阳板                         | <b>24</b> | HOW TO PLACE THE INNER LINING<br>如何放置内衬                       |
| <b>11</b> | HOW TO PLACE THE VISOR<br>如何更换遮阳板                          | <b>28</b> | HOW TO CHANGE DUST FILTER FOR WINTER FILTER<br>如何将滤尘器更换为冬季过滤器 |
| <b>12</b> | HOW TO USE THE INNER SUN VISOR<br>如何使用内遮阳板                 | <b>29</b> | ACCESSORIES<br>配件                                             |
| <b>13</b> | HOW TO REMOVE DE INNER SUN VISOR<br>如何卸下内侧遮阳板              | <b>30</b> | SIZE CHART<br>尺寸表                                             |
| <b>14</b> | HOW TO PLACE THE INNER SUN VISOR<br>如何放置内遮阳板               | <b>32</b> | X.COM 3 *                                                     |
| <b>15</b> | PINLOCK                                                    | <b>35</b> | HOMOLOGATION TAG<br>认证标签                                      |
| <b>16</b> | ERGO-PADDING *                                             | <b>36</b> | HELMET CARE<br>头盔护理                                           |
| <b>17</b> | HOW TO PLACE ACTION CAMERA SIDE SUPPORT *<br>如何放置运动相机侧支架 * |           |                                                               |

\* Not included / 不包括在内

Please read this manual very carefully before wearing your helmet and keep it in a safe place. For a correct use and for your safety, please pay attention to following instructions. The main function of the helmet is to protect your head in case of impact. This helmet is made to absorb some of the energy of a blow by partial destruction of its component parts and, even though damage may not be apparent, any helmet which has suffered an impact in an accident or received a similarly severe blow or other abuse should be replaced.


To maintain the full efficiency of this helmet, there must be no alteration to the structure of the helmet or its component parts, without the approval of the Type Approval Authority, that may decrease safety for the user. Only homologated accessories will maintain the helmet safety.

No component or device may be fitted to or incorporated in the protective helmet unless it is designed in

请在佩戴本头盔前仔细阅读本说明书并妥善保管。为了确保正确使用和您的安全，请注意以下说明。本头盔的主要功能是保护您的头部，以免受到撞击。这款头盔是通过部分破坏其组件的方式来吸收一些冲击能量，即使损坏可能不明显，对于在事故中受到过撞击或类似严重冲击或其它破坏的头盔，都应该予以更换。为了使本头盔保持全部效用，不得对头盔的结构或其组件进行任何改动。为了保持头盔的全部效能，未经型式认证机构的批准，不得对头盔或其组成部件的结构进行任何可能降低用户安全性的改动。只有经过认证的配件才能保证头盔的安全性。

任何部件或装置都不得安装或整合到防护头盔中，除非其设计不会造成伤害，并且当其安装或整合到防护头盔中时，头盔仍符合认证要求。



如果附件认证中标记的某些符号（位置装配符号除外）未在头盔认证标签中标记，则不得将任何附件安装在头盔上。



- 
- 1 - Shell / 外壳
  - 2 - Visor / Shield / 面罩/面甲
  - 3 - Top Air Intake ventilation / 顶部进气通风口
  - 4 - Chin Air Intake Ventilation / 下巴进气
  - 5 - Chin Wings Deflector / 下颚侧翼整流装置
  - 6 - Frontal Air Intake Ventilation / 正面进气通风口
  - 7 - Sunvisor Lever / 遮阳板杆件
  - 8 - Spoiler / 扰流板
  - 9 - Spoiler Extensor / 延长扰流板
  - 10 - Visor Mechanism / 面罩/面甲机构
  - 11 - FRS - Fast Release System Lever / 快速释放系统按钮
  - 12- X.COM 3 cover / X-COM 3 基座盖


## VENTILATIONS

### 通风孔



TOP INTAKE VENTILATIONS

OPEN 打开




TOP INTAKE VENTILATIONS

CLOSE 关闭



## AIRFLOW CIRCUIT

### 气流回路




## VENTILATIONS


### 通风孔




FRONTAL INTAKE VENTILATIONS  
**CLOSE** 关闭



FRONTAL INTAKE VENTILATIONS  
**OPEN** 打开




LATERAL INTAKE VENTILATIONS  
**CLOSE** 关闭



LATERAL INTAKE VENTILATIONS  
**OPEN** 打开



## AIRFLOW CIRCUIT

### 气流回路




## VENTILATIONS

### 通风孔





CHIN INTAKE VENTILATIONS  
**OPEN** 打开



CHIN INTAKE VENTILATIONS  
**CLOSE** 关闭

## AIRFLOW CIRCUIT

### 气流回路



**CHIN WINGS DEFLECTOR:  
HELMET STABILIZER**

下颚侧翼整流装置  
头盔稳定装置

## 如何清洁遮阳板

EN


To clean the visor without affecting its characteristics should be used only soapy water (preferably distilled) and a soft cloth. If the helmet is deeply dirty (ex. Insect remains) can add a little liquid from the dish to water. Remove the visor from the helmet before carrying a deeper cleaning. Never use objects to clean the helmet that may damage/scratch the visor. Always store the helmet in a dry place and protected from light, preferably in the bag provided by NEXX HELMETS.

CN



为了清洁面甲而不影响其特性，只应使用肥皂水（最好是蒸馏水配制的）和软布来清洁。如果头盔很脏（如有昆虫残骸），可以在水里加一点洗洁精。在进行更深入的清洁之前，应将面甲从头盔上取下。不得使用可能破坏/划伤面甲的物品来清洁头盔。始终将头盔存放于干燥避光的地方，最好是放在NEXX HELMETS公司提供的袋子里。

## HOW TO REMOVE THE VISOR


### 如何取下遮阳板



- 1** OPEN THE VISOR ALL THE WAY UP  
将遮阳板往上打开一直到底





- 2** PUSH THE BUTTON - BOTH SIDES  
从两侧按下按钮




- 3** REMOVE THE VISOR  
取下遮阳面罩

## HOW TO PLACE THE VISOR


### 如何更换遮阳板



- 1** ALIGN THE VISOR PINS WITH THE MECHANISM HOLES  
将遮阳板与机件两侧对齐




- 2** PRESS TO LOCK  
按下锁定到位




## HOW TO USE THE INNER SUN VISOR


### 如何使用内遮阳板




**1** CLOSE  
关闭



**2** FULL CLOSE POSITION  
全关闭位置




**3** OPEN  
打开




**4** FULL OPEN POSITION  
全开位置

## HOW TO REMOVE DE INNER SUN VISOR


### 如何卸下内侧遮阳板




**1** OPEN THE SUNVISOR  
打开遮阳板



**2** PULL FROM BOTH SIDES  
从两侧拉





**3** PULL FROM BOTH SIDES  
从两侧拉



**4** REMOVE THE VISOR  
取下遮阳板


## HOW TO PLACE THE INNER SUN VISOR

### 如何放置内遮阳板




**1** INSERT BOTH SIDES

从两侧插入



**2** PULL UP


向上拉



**3** READY TO USE

即时可用

# PINLOCK \*




EN

- 1 - Remove the helmet shield
- 2 - Bend the helmet shield and place the Pinlock® lens between the two pins provided in the helmet shield, fitting exactly into the dedicated recess.
- 3 - The silicon seal on the Pinlock® lens must make full contact with the helmet shield in order to avoid any condensation forming between the helmet shield and the Pinlock® lens.
- 4- Remove the film

FR

- 1 - 拆下头盔护罩
- 2 - 将头盔护罩弯折，并将Pinlock®镜头置于头盔护罩中两个销钉之间，精确安装在专用凹槽中。
- 3 - Pinlock®镜头上的硅密封必须与头盔护罩完全接触，以避免头盔护罩与Pinlock®镜头之间形成任何冷凝水汽。

# ERGO PADDING \*



| A                                                                                     | B                                                                                     |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  2mm |  2mm |
|  4mm |  4mm |

EN

The helmet size adjustment system using interior foams that allow a better filling according to the shape of the head;









CN

利用内部泡沫的头盔尺寸调节系统，可根据头部形状实现更好填充

\* Not included / 不包括在内

## HOW TO PLACE ACTION CAMERA SIDE SUPPORT

如何放置运动相机侧侧部支架



## 内衬规格

The lining of the helmet has the following characteristics:

- Removable (only some models),
- Anti-allergy
- Anti-sweat

This lining can be removed and washable, as shown in the picture (only some models).

If for some reason this lining is damage it can be easily replaced (only some models).

EN

头盔内衬具有以下特点：

- 可拆卸（仅限部分型号），
- 抗过敏
- 防结露

CN

如图所示，此内衬可拆下，可水洗（仅限部分型号）。

如果由于某种原因导致内衬损坏，可轻松更换内衬（仅限部分型号）。



滴干



请勿拧干



请勿通过翻滚方式弄干



请勿用熨斗熨




手洗



请勿漂白

REMOVABLE LINER PARTS

可拆卸内衬部件





## FRS - FAST RELEASE SYSTEM


### 快速释放系统

#### REMOVE THE EARPADS FOR CLEANING PURPOSES


移除衬垫以便清洁



**1** PULL THE LEVER  
拉动小柄



**2** SLIDE THE RED BUTTON  
滑动红色按钮





**3** PULL THE LINER EARPAD  
(REPEAT THE PROCESS THE OTHER SIDE)  
拉出衬里耳垫  
(另一侧重复此过程)


## FRS - FAST RELEASE SYSTEM

### REMOVE THE EARPADS IN CASE OF EMERGENCY


在紧急情况下移除脸颊衬垫



**1** PULL THE LEVER  
拉动小柄



**2** SLIDE THE RED BUTTON  
滑动红色按钮




**3** PULL THE LINER EARPAD  
(REPEAT THE PROCESS THE OTHER SIDE)  
拉出衬里耳垫  
(另一侧重复此过程)


## FRS - FAST RELEASE SYSTEM

### REMOVE THE EARPADS IN CASE OF EMERGENCY


在紧急情况下移除脸颊衬垫



**4** PULL THE EMERGENCY STRAP (BOTH SIDES)  
拉动应急带（两侧）




**5** REMOVE THE EARPAD (BOTH SIDES)  
移除脸颊衬垫（两侧）




**6** REMOVE THE HELMET SAFELY  
安全的取下头盔

## HOW TO REMOVE THE INNER LINING


### 如何取下内衬




- 1** PULL THE EARPADS BOTH SIDES USING FRS SYSTEM (SEE PREVIOUS PAGE)  
使用快速释放系统拉出两侧耳垫（见前页）



- 2** PULL THE BACK SIDE OF THE LINNER  
拉出衬里后部




- 3** RELEASE THE SPRINGS  
松开弹簧




- 4** PULL THE FRONTAL PART OF THE LINNER  
拉出衬里前部

## HOW TO PLACE THE INNER LINING


### 如何放置内衬




**1** INSERT THE FRONT OF THE LINNER  
插入衬里前部



**2** TIGHTEN THE SPRINGS  
拧紧弹簧




**3** INSERT ON THE BACK  
插入后部




**4** MAKE THE STRAP PASS THROUGH THE  
EARPADS  
使带子穿过耳垫


如何放置内衬




- 5** SLIDE THE RED BUTTON TO LOOSE THE EARPADS (SEE FRS PAG.31)  
滑动红色按钮 · 松开耳垫  
(见第31页“快速释放系统”)



- 6** INSERT  
插入 (详见 见第37)




- 7** INSERT  
插入 (详见 见第37)




- 8** PRESS AND SLIDE FRS BUTTON UNTIL CLOSE POSITION  
按下并滑动按钮直至关闭位置

HOW TO PLACE THE INNER LINING


如何放置内衬





9 PRESS THE PIN  
按下销钉



10 PRESS THE PIN  
按下销钉



11 PRESS THE PIN  
按下销钉





12 MAKE SURE THE BUTTON IS SECURELY LOCKED AND THE EARPADS SECURELY ATTACHED  
请确保纽扣被锁紧牢固·耳垫被固定牢固

## HOW TO PLACE THE INNER LINING

如何放置内衬


## INSERT EARPADS WITH FRS

带有快速释放系统的插入耳垫




## HOW TO CHANGE DUST FILTER FOR WINTER FILTER

### 如何将滤尘器更换为冬季过滤器



**1 REMOVE THE CHIN FILTER HOLDER AND THE DUST FILTER**

取下下巴过滤器底座和滤尘器




**2 INSERT THE WINTER FILTER AND THE CHIN FILTER HOLDER**


插入冬季过滤器，然后再插入下巴过滤器底座

## ACCESSORIES


### 配件



HELMET BAG  
头盔包




ACCESSORIES BAG  
附件袋



CAMERA SIDE SUPPORT  
相机侧支撑



DEFLECTOR  
下巴导流板



EXTRA VISOR \*  
额外的遮阳板



PINLOCK \*



WINTER FILTER  
冬季过滤器




SMALL SCREWS X2  
小螺丝 x2

\*Available in some models

SIZE CHART

尺寸表

| SHELL<br>SIZE<br>外壳尺寸                                                             | HELMET<br>SIZE<br>头盔尺码 | HEAD<br>SIZE<br>头围 |           |
|-----------------------------------------------------------------------------------|------------------------|--------------------|-----------|
|                                                                                   |                        | CM                 | IN        |
|  | XXS                    | 51/52              | 20,1/20,5 |
|                                                                                   | XS                     | 53/54              | 20,9/21,3 |
|                                                                                   | S                      | 55/56              | 21,7/22   |
|  | M                      | 57/58              | 22,4/22,8 |
|                                                                                   | L                      | 59/60              | 23,2/23,6 |
|  | XL                     | 61/62              | 24/24,4   |
|                                                                                   | XXL                    | 63/64              | 24,8/25,2 |
|                                                                                   | XXXL                   | 65/66              | 25,6/26   |



**EN** Wrap the flexible measuring tape around your head.

**CN** 用软尺包围头部进行测量。

The size selection of the helmet is crucial to ensure the safety of the user. Never should use a helmet that is too small or too large in relation to the size of the head. To purchase a helmet is important that you try it: make sure the helmet fits perfectly to the head, there should be no gap between the helmet and the head; make some movements of rotation (left and right) with the helmet on the head(closed) this should not shake; it's important that the helmet is comfortable and involving the entire head.

头盔尺寸的选择对于保证使用者的安全至关重要。绝对不可使用对于头部尺寸过小或过大的头盔。购买头盔时进行试戴是很重要的：确保头盔完美贴合头部，头盔与头部之间不应有间隙；戴着头盔（关闭面罩）做一些转头动作（向左和向右）时，头盔不应有晃动；重要的是，头盔佩戴感觉要舒适且能包住整个头部。






# X.COM 3 \*

EN

The X.WED 3 model is by Default Equipped to Accommodate the NEXX Helmets X-COM 3 Communications System.


CN

默认情况下X.WED3 型号的装配可以用来安装NEXX头盔X-COM3 通信系统。





\* Not included / 不包括在内

# X.COM 3 \*



\* Not included / 不包括在内


# X.COM 3 \*



\* Not included / 不包括在内

HOMOLOGATION TAG

认证标签



HOMOLOGATION TAG  
INSERTED HERE

在此处插入认证标签

## HELMET CARE SOIN À PRENDRE PFLEGE

EN

- Light colors with matte finish require extra care as they are naturally more exposed to dust, fumes, compounds or other types of impurities.

**THIS IS NOT COVERED UNDER WARRANTY!**

Neon colors will fade when subjected to prolonged UV rays exposure.

**THIS IS NOT COVERED UNDER WARRANTY!**

We are not liable for any damage, loss or detriment resulting from faulty assembly of any accessory.

- Do not expose the helmet to any type of liquid solvent;

- The helmet should be handled with care. Leaving it drops can damage the painting as well as reduce their characteristics of protection.

**THIS NOT COVERED UNDER WARRANTY!**

- Keep the helmet in a safe place (not hang on the mirror of motorcycle or other support than can damage the lining). Do not carry your helmet on the biker or in the arm while driving.

- Always use the helmet in the proper position, using the buckle to adjust to the head;

- In order to maintain trouble free operation of the visor, it is advisable to periodically lubricate the mechanisms and rubber parts around the visor with silicone oil. The application may be made with a brush or with the help of a cotton swab.

Apply sparingly and remove the excess with a dry clean cloth. This proper care will maintain the softness of the rubber seal and will dramatically increase the durability of the visor fixing mechanism.

- Clean and lubricate mechanisms after use in extreme off road dust and dirt conditions.

CN

- 带有哑光表面的浅色组件需要格外小心，因为它们必然更容易受到灰尘、烟雾、化合物或其他类型杂质的影响。

这种情况不属于保修范围！

霓虹灯如长时间暴露在紫外线下会褪色。

这种情况不属于保修范围！

我们不对因任何附件安装错误而导致的任何损坏、损失或伤害负责。

- 不可让头盔接触任何类型的液体溶剂；

- 应小心对待头盔。摔落头盔可损坏喷漆并降低其保护性能。

这种情况不属于保修范围！

- 将头盔放置于安全处（不可悬挂在摩托车后视镜上或其它可损坏内衬的支座上）。在驾驶摩托车时不得将头盔带在身上或抱在怀里。

- 使用头盔时，始终佩戴于恰当的部位，使用锁扣调整在头部的位置

- 为了保持面甲无故障发挥作用，建议定期用硅油润滑面甲周围的机构和橡胶部件。可用刷子或棉签上油。少量涂抹，然后用干净的干布擦掉多余硅油。这种适当的保养可保持橡胶密封件的柔软性并将大大增加面甲固定机构的耐久性。

- 在充满灰尘和污垢的极限越野路况下使用后，请清洁和润滑各装置部件

This high quality helmet is made with the most advanced European technology. The helmets are technologically advanced for the motorcycle rider's protections, which are made for motorcycle riding only. This helmet specifications is subject to change without notice.

EN

这款高质量头盔采用最先进的欧洲技术制造而成。头盔在保护摩托车骑手方面具有技术先进性，仅针对摩托车骑行而制。这款头盔的技术规范如有更改，恕不另行通知。

CN

# HELMETS FOR LIFE

**Nexxpro Fábrica de Capacetes S. A.**

Zona industrial de Amoreira da Gândara, lote nº11  
3780-024 Amoreira da Gândara,  
Anadia - PORTUGAL  
[nexx@nexxpro.com](mailto:nexx@nexxpro.com)  
[www.nexx-helmets.com](http://www.nexx-helmets.com)

MADE IN  
EUROPE

MARÇO 2023/R01